

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant: Shanghai JA Solar Technology Co., Ltd **Manufacturer:** Shanghai JA Solar Technology Co., Ltd

Address: No. 118, Lane 3111, West Huancheng Road, Fengxian District, 201401 Shanghai, P. R. China **Address:** No. 118, Lane 3111, West Huancheng Road, Fengxian District, 201401 Shanghai, P. R. China

Country: China **Country:** China
Contact: Wang Yongbo **Contact:** Wang Yongbo
Phone: +86-21-37181101 **Phone:** +86-21-37181101
FAX: +86-21-37181234 **FAX:** +86-21-37181234
Email: wangyb@jasolar.com **Email:** wangyb@jasolar.com

Party Authorized To Apply Mark: Same as Manufacturer
Report Issuing Office: Intertek Testing Services Shanghai

Control Number: 4001505 **Authorized by:**  for Dean Davidson, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
 545 East Algonquin Road, Arlington Heights, IL 60005
 Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

Standard(s):	Flat-Plate Photovoltaic Modules And Panels [UL 1703:2002 Ed.3+R:10Mar2017] ULC ORD C1703 Issued:2001/08/01 FLAT PLATE PHOTOVOLTAIC MODULES AND PANELS; Amd. 1: 2001
Product:	Crystalline Silicon Photovoltaic modules
Brand Name:	

Models:

JAP6(K)-72- followed by 305, 310, 315, 320, 325 or 330; followed by /4BB/1500V.

JAP6(K)-60- followed by 255, 260, 265, 270 or 275; followed by /4BB/1500V.

JAM6(K)-72- followed by 335, 340, 345, 350, 355 or 360; followed by /PR/1500V.

JAM6(K)-60- followed by 280, 285, 290, 295, 300 or 305; followed by /PR/1500V.

JAP72S01- followed by 305, 310, 315, 320, 325 or 330; followed by /SC.


JAP60S01- followed by 255, 260, 265, 270 or 275; followed by /SC.

JAM72S01- followed by 335, 340, 345, 350, 355 or 360; followed by /PR.

JAM60S01- followed by 280, 285, 290, 295, 300 or 305; followed by /PR.

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant: Shanghai JA Solar Technology Co., Ltd**Manufacturer:** Hefei JA Solar Technology Co., Ltd**Address:** No. 118, Lane 3111, West Huancheng Road, Fengxian District, 201401 Shanghai, P. R. China**Address:** No. 999, Changning Road, Hi-tech Zone, Hefei City, P. R. China, 230088**Country:** China**Country:** China**Contact:** Wang Yongbo**Contact:** Zha Siyi**Phone:** +86-21-37181101**Phone:** +86-0551-7190837**FAX:** +86-21-37181234**FAX:** +86-0551-5305533**Email:** wangyb@jasolar.com**Email:** chasy@jasolar.com**Party Authorized To Apply Mark:** Same as Manufacturer
Report Issuing Office: Intertek Testing Services Shanghai**Control Number:** 4005519**Authorized by:**  for Dean Davidson, Certification Manager

This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
545 East Algonquin Road, Arlington Heights, IL 60005
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

Standard(s):	Flat-Plate Photovoltaic Modules And Panels [UL 1703:2002 Ed.3+R:10Mar2017] ULC ORD C1703 Issued:2001/08/01 FLAT PLATE PHOTOVOLTAIC MODULES AND PANELS; Amd. 1: 2001
Product:	Crystalline Silicon Photovoltaic modules
Brand Name:	JA SOLAR 晶澳®

Models:

JAP6(K)-72- followed by 305, 310, 315, 320, 325 or 330; followed by /4BB/1500V.

JAP6(K)-60- followed by 255, 260, 265, 270 or 275; followed by /4BB/1500V.

JAM6(K)-72- followed by 335, 340, 345, 350, 355 or 360; followed by /PR/1500V.

JAM6(K)-60- followed by 280, 285, 290, 295, 300 or 305; followed by /PR/1500V.

JAP72S01- followed by 305, 310, 315, 320, 325 or 330; followed by /SC.

JAP60S01- followed by 255, 260, 265, 270 or 275; followed by /SC.

JAM72S01- followed by 335, 340, 345, 350, 355 or 360; followed by /PR.

JAM60S01- followed by 280, 285, 290, 295, 300 or 305; followed by /PR.

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.


This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant: Shanghai JA Solar Technology Co., Ltd **Manufacturer:** VINA SOLAR TECHNOLOGY CO., LTD

Address: No. 118, Lane 3111, West Huancheng Road, Fengxian District, 201401 Shanghai, P. R. China **Address:** FACTORY E12, LOT CN-03, Van Trung Industrial park, Bac Giang Province, Vietnam

Country: China **Country:** Vietnam
Contact: Wang Yongbo **Contact:** Li Weimin
Phone: +86-21-37181101 **Phone:** +0086-18662191566
FAX: +86-21-37181234 **FAX:** -
Email: wangyb@jasolar.com **Email:** weimin.li@vinasolar.com

Party Authorized To Apply Mark: Same as Manufacturer
Report Issuing Office: Intertek Testing Services Shanghai

Control Number: 5001344 **Authorized by:**  for Dean Davidson, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
 545 East Algonquin Road, Arlington Heights, IL 60005
 Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

Standard(s):	Flat-Plate Photovoltaic Modules And Panels [UL 1703:2002 Ed.3+R:10Mar2017] ULC ORD C1703 Issued:2001/08/01 FLAT PLATE PHOTOVOLTAIC MODULES AND PANELS; Amd. 1: 2001
Product:	Crystalline Silicon Photovoltaic modules
Brand Name:	JA SOLAR 晶澳®

Models:

JAP6(K)-72- followed by 305, 310, 315, 320, 325 or 330; followed by /4BB/1500V.

JAP6(K)-60- followed by 255, 260, 265, 270 or 275; followed by /4BB/1500V.

JAM6(K)-72- followed by 335, 340, 345, 350, 355 or 360; followed by /PR/1500V.

JAM6(K)-60- followed by 280, 285, 290, 295, 300 or 305; followed by /PR/1500V.

JAP72S01- followed by 305, 310, 315, 320, 325 or 330; followed by /SC.

JAP60S01- followed by 255, 260, 265, 270 or 275; followed by /SC.

JAM72S01- followed by 335, 340, 345, 350, 355 or 360; followed by /PR.

JAM60S01- followed by 280, 285, 290, 295, 300 or 305; followed by /PR.

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant: Shanghai JA Solar Technology Co., Ltd

Manufacturer: JingAo Solar Co., Ltd

Address: No. 118, Lane 3111, West Huancheng Road, Fengxian District, 201401 Shanghai, P. R. China

Address: 5th Jinglong Industrial Park, NO.123 Xinxing Road, Ningjin County, Hebei Province

Country: China

Country: China

Contact: Wang Yongbo

Contact: Sally Wang

Phone: +86-21-37181101

Phone: +86-0319-5808 063

FAX: +86-21-37181234

FAX: -

Email: wangyb@jasolar.com

Email: wangsl@jasolar.com

Party Authorized To Apply Mark: Same as Manufacturer

Report Issuing Office: Intertek Testing Services Shanghai

Control Number: 5005173

Authorized by:  for Dean Davidson, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
545 East Algonquin Road, Arlington Heights, IL 60005
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

Standard(s):	Flat-Plate Photovoltaic Modules And Panels [UL 1703:2002 Ed.3+R:10Mar2017] ULC ORD C1703 Issued:2001/08/01 FLAT PLATE PHOTOVOLTAIC MODULES AND PANELS; Amd. 1: 2001
Product:	Crystalline Silicon Photovoltaic modules
Brand Name:	

Models:

JAP6(K)-72- followed by 305, 310, 315, 320, 325 or 330; followed by /4BB/1500V.

JAP6(K)-60- followed by 255, 260, 265, 270 or 275; followed by /4BB/1500V.

JAM6(K)-72- followed by 335, 340, 345, 350, 355 or 360; followed by /PR/1500V.

JAM6(K)-60- followed by 280, 285, 290, 295, 300 or 305; followed by /PR/1500V.

JAP72S01- followed by 305, 310, 315, 320, 325 or 330; followed by /SC.

JAP60S01- followed by 255, 260, 265, 270 or 275; followed by /SC.

JAM72S01- followed by 335, 340, 345, 350, 355 or 360; followed by /PR.

JAM60S01- followed by 280, 285, 290, 295, 300 or 305; followed by /PR.

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant:	Shanghai JA Solar Technology Co., Ltd	Manufacturer:	FLEXTRONICS SHAH ALAM SDN. BHD
Address:	No. 118, Lane 3111, West Huancheng Road, Fengxian District, 201401 Shanghai, P. R. China	Address:	Plot D26, Jalan DPB/4, Kawasan Zon Perindustrian Bebas, Pelabuhan Tanjung Pelepas (PTP), 81560 Gelang Patah, Johor Darul Takzim, Malaysia
Country:	China	Country:	Malaysia
Contact:	Wang Yongbo	Contact:	Tandau Tabani
Phone:	+86-21-37181101	Phone:	+60 (07) 5048054 8054
FAX:	+86-21-37181234	FAX:	-
Email:	wangyb@jasolar.com	Email:	tandau.tabani@flex.com
Party Authorized To Apply Mark:	Same as Manufacturer		
Report Issuing Office:	Intertek Testing Services Shanghai		

Control Number: 5008742

Authorized by:  for Dean Davidson, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
 545 East Algonquin Road, Arlington Heights, IL 60005
 Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

Standard(s):	Flat-Plate Photovoltaic Modules And Panels [UL 1703:2002 Ed.3+R:10Mar2017] ULC ORD C1703 Issued:2001/08/01 FLAT PLATE PHOTOVOLTAIC MODULES AND PANELS; Amd. 1: 2001
Product:	Crystalline Silicon Photovoltaic modules
Brand Name:	

Models:

JAP6(K)-72- followed by 305, 310, 315, 320, 325 or 330; followed by /4BB/1500V.

JAP6(K)-60- followed by 255, 260, 265, 270 or 275; followed by /4BB/1500V.

JAM6(K)-72- followed by 335, 340, 345, 350, 355 or 360; followed by /PR/1500V.

JAM6(K)-60- followed by 280, 285, 290, 295, 300 or 305; followed by /PR/1500V.

JAP72S01- followed by 305, 310, 315, 320, 325 or 330; followed by /SC.

JAP60S01- followed by 255, 260, 265, 270 or 275; followed by /SC.

JAM72S01- followed by 335, 340, 345, 350, 355 or 360; followed by /PR.

JAM60S01- followed by 280, 285, 290, 295, 300 or 305; followed by /PR.

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant:	Shanghai JA Solar Technology Co., Ltd	Manufacturer:	HT SOLAR VIETNAM LIMITED COMPANY
Address:	No. 118, Lane 3111, West Huancheng Road, Fengxian District, 201401 Shanghai, P. R. China	Address:	F3 lot, factory F3-1, F3-2, Trang Due Industrial Park, An Duong District, a part of Dinh Vu - Cat Hai Economic Zone, Hai Phong City, Vietnam. 180000
Country:	China	Country:	Vietnam
Contact:	Wang Yongbo	Contact:	ZHANG JIE
Phone:	+86-21-37181101	Phone:	+84 1277211699
FAX:	+86-21-37181234	FAX:	-
Email:	wangyb@jasolar.com	Email:	zhangjie@htsolargroup.com
Party Authorized To Apply Mark:	Same as Manufacturer		
Report Issuing Office:	Intertek Testing Services Shanghai		

Control Number: 5008860

Authorized by:  for Dean Davidson, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
 545 East Algonquin Road, Arlington Heights, IL 60005
 Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

Standard(s):	Flat-Plate Photovoltaic Modules And Panels [UL 1703:2002 Ed.3+R:10Mar2017] ULC ORD C1703 Issued:2001/08/01 FLAT PLATE PHOTOVOLTAIC MODULES AND PANELS; Amd. 1: 2001
Product:	Crystalline Silicon Photovoltaic modules
Brand Name:	

Models:

JAP6(K)-72- followed by 305, 310, 315, 320, 325 or 330; followed by /4BB/1500V.

JAP6(K)-60- followed by 255, 260, 265, 270 or 275; followed by /4BB/1500V.

JAM6(K)-72- followed by 335, 340, 345, 350, 355 or 360; followed by /PR/1500V.

JAM6(K)-60- followed by 280, 285, 290, 295, 300 or 305; followed by /PR/1500V.

JAP72S01- followed by 305, 310, 315, 320, 325 or 330; followed by /SC.

JAP60S01- followed by 255, 260, 265, 270 or 275; followed by /SC.


JAM72S01- followed by 335, 340, 345, 350, 355 or 360; followed by /PR.

JAM60S01- followed by 280, 285, 290, 295, 300 or 305; followed by /PR.

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant:	Shanghai JA Solar Technology Co., Ltd	Manufacturer:	SOLAR PHILIPPINES MODULE MANUFACTURING CORPORATION
Address:	No. 118, Lane 3111, West Huancheng Road, Fengxian District, 201401 Shanghai, P. R. China	Address:	Lot 17, Phase 1A FPIP - Special Economic Zone, Sto. Tomas, Batangas, 4234
Country:	China	Country:	Philippines
Contact:	Wang Yongbo	Contact:	Dennis Mendiola
Phone:	+86-21-37181101	Phone:	+63 917 3289040
FAX:	+86-21-37181234	FAX:	-
Email:	wangyb@jasolar.com	Email:	dennis.mendiola@solarphilippines.ph
Party Authorized To Apply Mark:	Same as Manufacturer		
Report Issuing Office:	Intertek Testing Services Shanghai		

Control Number: 5009768 **Authorized by:**  for Dean Davidson, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
 545 East Algonquin Road, Arlington Heights, IL 60005
 Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

Standard(s):	Flat-Plate Photovoltaic Modules And Panels [UL 1703:2002 Ed.3+R:10Mar2017] ULC ORD C1703 Issued:2001/08/01 FLAT PLATE PHOTOVOLTAIC MODULES AND PANELS; Amd. 1: 2001
Product:	Crystalline Silicon Photovoltaic modules
Brand Name:	

Models:

JAP6(K)-72- followed by 305, 310, 315, 320, 325 or 330; followed by /4BB/1500V.

JAP6(K)-60- followed by 255, 260, 265, 270 or 275; followed by /4BB/1500V.

JAM6(K)-72- followed by 335, 340, 345, 350, 355 or 360; followed by /PR/1500V.

JAM6(K)-60- followed by 280, 285, 290, 295, 300 or 305; followed by /PR/1500V.

JAP72S01- followed by 305, 310, 315, 320, 325 or 330; followed by /SC.

JAP60S01- followed by 255, 260, 265, 270 or 275; followed by /SC.

JAM72S01- followed by 335, 340, 345, 350, 355 or 360; followed by /PR.

JAM60S01- followed by 280, 285, 290, 295, 300 or 305; followed by /PR.